

Murine Anti-Factor IX

Clone GMA-121

Factor IX (FIX) is a vitamin K-dependent zymogen that plays an essential role in the coagulation cascade leading to thrombus formation. In the presence of calcium, activated Factor IX (FIXa) complexes with Factor VIIIa on phospholipid surfaces to create the tenase complex, which converts Factor X to its activated form. Defect or deficiencies in FIX lead to the X-linked recessive bleeding disorder hemophilia B. GMA-121 binds to FIX and detects the light chain of FIXa in both ELISA and Western blot format.

Description

Antibody Source:	Mouse monoclonal, IgG ₁
Antigen Species Bound:	Human
Specificity:	Human FIX/FIXa light chain
Immunogen:	Human FIX


Formulation and Storage

Purity:	IgG purified by protein G affinity chromatography from serum free cell culture supernatant.
Product Formulation:	Lyophilized from a ≥ 1 mg/ml solution in 20 mM NaH ₂ PO ₄ 0.15 M NaCl, 1.0% (w/v) mannitol, pH 7.4. Concentration determined by absorbance measurement at 280 nm and using an extinction coefficient of 1.4 ($\epsilon_{0.1\%}$).
Reconstitution:	Reconstitute with deionized water.
Storage:	Aliquot and store at -20° C for prolonged periods. Avoid freeze-thaw cycles. Alternatively, add 0.02% (w/v) sodium azide and store at 4° C.
Country of origin:	USA
Size Options:	0.1 mg or 0.5 mg

Applications

Working Concentration:	Approximately 1-5 μ g/ml. Researcher should titer antibody in specific assay.
ELISA:	Binds immobilized Human FIX/IXa.
Immunoblotting:	Western blotting detects human FIX and Human FIXa light chain under reduced conditions.
Inhibition:	Does not prolong plasma clot time in APTT clotting assay.

GMA-121 binding hu FIX in ELISA



Western blot of reduced FIXa with 1 μ g/ml GMA-121

