

Anti-Mouse CD276 (MJ18) In Vivo Antibody - Low **Endotoxin**

Anti-Mouse CD276 In Vivo Antibody (MJ18) - Low Endotoxin

-	T 4	-	O 4
Pro	duct	Ben	efits:

ichorbio's anti-Mouse CD276 In Vivo Antibody (MJ18) - Low Endotoxin is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility.

ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from Bio X Cell at less than

even less endotoxin (0.5 EU/mg) at an even higher purity (98% versus 95%).

1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have ichorbio: the best antibodies for *in vivo* research. **Target:** CD276 Clone: **MJ18** Size: ichorbio's MJ18 in vivo antibody is available in the following bulk sizes: 5mg, 25mg, 50mg and 100mg. ichorbio regularly manufactures multi-gram amounts of our anti-mouse CD276 MJ18 clone - please contact us for pricing. **Isotype:** Rat IgG1 kappa **Host:** Rat **Species Reactivity:**

Mouse

Specificity:

MJ18 activity is directed against mouse CD276 also known as B7-H3.



Antigen Distribution:

CD276 is weakly expressed on activated lymphocytes, macrophages, dendritic cells, nasal and airway epithelial cells, osteoblasts, and some tumor cell lines. A soluble form is secreted by monocytes, dendritic cells, and activated T cells.

Immunogen:

Mouse B7-H3 IgG2a fusion protein.

Concentration:

1.0 - 5.0 mg/ml

Formulation:

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

Purity:

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

Endotoxin:

1.0 EU/mg as determined by the LAL method

? 0.5 EU/mg as determined by the LAL method

Aggregation:

Aggregation level ? 5%

Aggregation level ? 1%

IMPACT Pathogen Test:

We use the IMPACT test generated by IDEXX Laboratories to guarantee our Ultra Low Endotoxin antibodies are pathogen free. Our mouse antibodies are tested for: Mycoplasma spp., Mycoplasma pulmonis, Sendai virus, Mouse hepatitis virus, Pneumonia virus of mice, Minute virus of mice, Mouse parvovirus (MPV1-5), Theiler's murine encephalomyelitis virus, Murine norovirus, Reovirus 3, Mouse rotavirus, Ectromelia virus, Lymphocytic choriomeningitis virus, Polyoma virus, Lactate dehydrogenase-elevating virus, Mouse adenovirus (MAD1, MAD2), Mouse cytomegalovirus K virus, Mouse thymic virus, Hantaan virus, Corynebacterium bovis, Corynebacterium spp. (HAC2)

Storage:



Anti-Mouse CD276 In Vivo Antibody (MJ18) is stable for at least one week when stored sterile at 2-8 $^{\circ}$ C. For long term storage aseptically aliquot in working volumes without diluting and store at -20° C in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles.

Applications:

Blocking, Flow Cytometry

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications.

Use:

Products are for research use only.