

Bulk Anti-Human CD45RO (UCHL-1) Antibody

Bulk anti-human CD45RO antibody (UCHL-1)

Product		. 4 T	.	P* 4
Pro	ดบเด	T P	sen	etits:

Froduct Denems:
ichorbio's bulk anti-human CD45RO antibody (UCHL-1) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodie from Bio X Cell at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (0.5EU/mg) at an even higher purity (98% versus 95%). ichorbio: the best antibodies for <i>in vivo</i> research.
Target:
CD45RO
Other Names:
CD45RO molecule is the 180 kDa isoform of CD45 Leucocyte Common Antigen (LCA)
Clone:
UCHL-1
Size:
Anti-human CD45RO antibody (UCHL-1) is available in the following bulk sizes: 5mg, 25mg, 50mg and 100mg. ichorbio regularly manufactures multi-gram amounts of our clone UCHL-1 - please contact us for pricing.
Isotype:
Mouse IgG2a
Host:
Mouse
Species Reactivity:
Human
Specificity:
Anti-human CD45RO antibody (UCHL-1) recognizes Human CD45.
Purification Method:

This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.



Antigen Distribution:

The CD45RO antigen is present on most thymocytes, about 40% of resting peripheral blood T-lymphocytes and the majority of T-cells in skin reactive infiltrates and T-cell malignancies. CD45RO is also found on a subset of B-cells and some B-cell lymphomas. NK cells do not express the CD45RO antigen. It is also present on monocytes, macrophages and granulocytes.

Concentration:

>2.0 mg/ml

Formulation:

Bulk anti-human CD45RO antibody (UCHL-1) is aseptically packaged and formulated in 0.01 M phosphate buffered saline (PBS) pH 7.2 - 7.4, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and azide free

Purity:

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

Endotoxin:

? 1.0 EU/mg as determined by the LAL method

? 0.75 EU/mg as determined by the LAL method

Aggregation:

Aggregation level ? 5%

Aggregation level ? 1%

Storage:

This antibody is stable for at least 4 weeks when stored at 2-8°C. For long term storage, aliquot in working volumes without diluting and store at -20° C or -80° C. Avoid repeated freeze thaw cycles.

Applications:

Flow Cytometry, IHC (Frozen), IHC (Paraffin), Immunoprecipitation, Western Blot, CODEX®

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications.

Use:



ducts are for research use only.		